



Higer

Cellulose derivative, auxiliary substances and water.

A natural sticky agent; an adjuvant improving the quality of plant treatment with working liquid and enhancing the effect of insecticides and fungicides.

Advantages:

- A natural sticky agent
- Upon drying, forms a flexible water-resistant film on plants
- Keeps active substances on the surface of plants
- Enhances the effect of insecticides and fungicides

Usage regulations

All crops: 0.1–0.3 l/ha

Application technique. Working liquid preparation procedure

It is recommended to mix the product thoroughly before use.

Prepare the working solution immediately before use and use it on the day of preparation. Fill the sprayer tank two-thirds full with water and slowly add the full dose of the spraying product and water from rinsing the container while stirring. Make up to 90% of the estimated volume with water, then add Higer and stir the solution. Make up to 100% of the estimated volume with water.

Perform the treatment with the agitator continuously on. Do not switch the agitator off until the tank contents are fully used!

Warning! Do not leave the solution in the tank or sprayer after use. Wash the equipment thoroughly after treatment. If the treatment is necessary for several days in a row, be sure to fill the tank with water and rinse the nozzles at the end of each day.

General information

Hazard class

Hazard class 4, low-hazardous substance

Shelf life

2years

Storage temperature range

0°C to plus 35°C

Packing

1l or 5l container

Registrant

Schelkovo Agrohim, Russia

Manufacturer

Schelkovo Agrohim, Russia